







Speedblade® is the perfect snow contractor tool. It's designed so you can hydraulically open the blade to its maximum width for small and large snow drifts or fold the wings in to move and contain high volumes of snow. It's easy to transport—the wings fold so you can put it on a trailer without detaching the blade. It's highly maneuverable—you can get in and out of tight spaces easily. And it's made to move volumes of snow, quickly, easily.



#### HIGH MANEUVERABILITY.

The Speedblade<sup>™</sup> is as maneuverable as your skid steer itself. In fact, you can position the blade small enough to go through spaces only a few inches wider than your skid steer. So whether it's big parking lots, sidewalks or industrial yards, you can change the width on the fly depending on the job and dart around the site quickly and easily. Available in 15' & 18' widths.

## CONTROL THE SNOW BETTER.



When a regular straight blade or bucket plows heavy drifts, the snow trails easily off the sides and you have to do more passes. With the Degelman Speedblade™, you can hydraulically move the blades into a U position so you can cup, contain and direct the snow even in tight spots. This way you can move a higher volume of snow with less passes and

trail-off. Plus, you can easily pile the snow as high as your machine can reach.



#### PUSH MORE OF EVERYTHING.

Imagine your next blade having the ability to position the wings to where you need them while providing extreme blade height and under tractor clearance.





#### TRANSPORT WITHOUT DETACHING.

When you move to another job, you don't need to detach the Speedblade<sup>™</sup> to load your skid steer on your trailer. The Speedblade<sup>™</sup> is designed so all you have to do is fold back its wings to load it. This way,

there's littleand you can in a shorter time. to-no downtime fit in more jobs amount of



#### FEATURES & SPECIFICATIONS

Blade Width Dimensions		
Wings Straight:	15′	18′
Wings Forward:	8′ 4″	8′ 6″
Wings Back:	12′ 5″	14′ 2″
Blade Height:		37-1/2″
Blade Weight:	(approximate)	
15'-1550 lbs	18′-1700 lbs	
Wing Angle:	83° forward	
	56° back	
Wing Tilt:	7° (3.5° both sides)	
Cutting Edges:	3/4″ Steel	
Mounting Systems:	Universal Skid Steer Mount	
	3-Point Mount	
	Flat Back Mount for Loaders	









This box blade is a simple, strong and effective tool for high volume snow removal and is so unique it has four patents behind the name.

Strongbox® is quickly and easily adaptable to all payloaders, backhoes, skid steers and most Ag tractors. No matter what you use to push snow, we guarantee a quality, secure fit-up.

# PATENTED CONE GUSSET SIDE PLATES.

The unique design of the cone gusset provides a self-cleaning surface to prevent snow and ice from accumulating while increasing structural support to the side plates.

## CLEARS SNOW 5 TIMES FASTER.

Extra-large side plates let you move more snow, faster. Reinforced with a unique cone gusset, these side plates are designed to endure the wear and tear of snow removal.

#### REVERSIBLE SKID SHOES.

The Strongbox® is equipped with unique skid shoes that mount flush with the side plate, letting you clean closer than ever to walls and curbs. They also allow the rubber edge to clean the full width of the blade with no trail off to slow you down.

# RUBBER CUTTING EDGES.

The Strongbox® features a durable high density rubber cutting edge, which gives it the flexibility to clear snow, slush, ice and water without damaging pavement or road obstacles.

#### HIGH VOLUME SIDE PLATES.

Extra-large side plates let you move more snow, faster. Reinforced with a unique cone gusset, these side plates are designed to endure the wear and tear of snow removal. The cone shape also provides a "selfcleaning" surface to prevent snow and ice from accumulating.




### DOUBLE SKIN CONSTRUCTION.

To ensure the ultimate in durability, Degelman has integrated its proven double skin dozer blade structure into each Strongbox®. With extra blade depth and internal reinforcement, the Strongbox® provides added structural support where you need it.



# FEATURES & SPECIFICATIONS

<b>38 Series Models</b>	38″ Blade Height	
Blade Widths Available	8', 10', 12', 14', 16'	
Blade Construction (Double Skin)	10 GA (7 GA -14′,16′)	
Blade Weight	1060-2150 lbs.	
Side Plate Depth	40″	
50 Series Models	50″ Blade Height	
Blade Widths Available	16′, 18′, 20′	
Blade Weight	2835-3290 lbs.	
Blade Construction (Double Skin)	7 Gauge	
Side Plate Depth	53″	
<b>Common Features</b>		
Rubber Edge (Reversible)	1½″ x 10″	
Side Plates (Flush/Cone Supported)	3/8″	
Skid Shoes (Abrasion Resistant 400)	Reversible/Replaceable	
Mounting System	Interchangeable Bolt-On	
Tie Down System	Integrated Lug Design	





www.degelman.com 1-800-667-3545

9430

You Tube www.youtube.com/degelmanind



Protected by US and CDN patents. Degelman Industries Ltd. is constantly striving to improve its products and re-serves the right to change design, ma-terial and specifications without notice. Printed in Canada





CHERONS.

Россия. 142850. Московская область. Ступинский район п. Малино, ул. Промышленная, владение 8 гп. +7 (49) 775 0175, 075 0176 Факс +7 (495) 775 0176 E-Mail: info@most-technics.ru Http: www.most-technics.ru

1.18